



CERTIFICATE

No. Z1A 030312 0076 Rev. 00

Holder of Certificate: **ROBBERECHTS NV**

Slachthuisstraat 21
2300 Turnhout
BELGIUM

Certification Mark:



Product: **Office cabinets**

Tested according to: DIN EN 16121:2025
DIN EN 16122:2012
DGVV Grundsatz 315-410:2021
PPP 59064G:2025
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713392672-2

Valid until: 2031-05-26

Date, 2026-05-27

(Jens Biesenack)

CERTIFICATE

No. Z1A 030312 0076 Rev. 00

Model(s): **Tambour door office cabinets**
Cube

Parameters:

Dimensions:

Commercial code	Height (cm)	Width (cm)	Depth (cm)
KXXCUB042080	42	80	43
KXXCUB042090	42	90	43
KXXCUB042100	42	100	43
KXXCUB042120	42	120	43
KXXCUB069080	69	80	43
KXXCUB069090	69	90	43
KXXCUB069100	69	100	43
KXXCUB069120	69	120	43
KXXCUB105080	105	80	43
KXXCUB105090	105	90	43
KXXCUB105100	105	100	43
KXXCUB105120	105	120	43
KXXCUB118080	118	80	43
KXXCUB118090	118	90	43
KXXCUB118100	118	100	43
KXXCUB118120	118	120	43
KXXCUB135080	135	80	43
KXXCUB135090	135	90	43
KXXCUB135100	135	100	43
KXXCUB135120	135	120	43
KXXCUB160080	160	80	43
KXXCUB160090	160	90	43
KXXCUB160100	160	100	43
KXXCUB160120	160	120	43
KXXCUB198080	198	80	43
KXXCUB198090	198	90	43
KXXCUB198100	198	100	43
KXXCUB198120	198	120	43



CERTIFICATE

No. Z1A 030312 0076 Rev. 00

XX = coding for interior configuration (handle, lock, base, foot).
Options are: 01, 04, 05, 06, 13 and 25.

- Overall steel plate thickness: 0.8 mm
- Control feet: Type 2 (4 feet)
- Interior: Combined with Shelves (thickness 0.7 mm), pull-out element with or without lateral stability system, fixed rail for file folders, pull-out elements for file folders.
- Side-opening shutters, segments made of PVC or PP
- Anti-tilt-system, when combining more than one pull-out element
- Melamine coated top