



ROBBERECHTS

COMPANY
ADDRESS
ADDRESS
At the att of

Turnhout, DATE

Ref:

Subject: X

JUNTO STRAIGHT/ROUNDED VGT WITH A-SHAPED LEG





ROBBERECHTS

COMPANY
ADDRESS
ADDRESS
At the att of

Ref:

Turnhout, DATE

Subject: X

Technical description

Legs

- 2x A-shaped leg.
- The vertical tubes are positioned in an angle of 73° with respect to the top with the 'sit' VGT, 78° with a 'stand' VGT.
- The vertical tubes are rotated 45° with respect to the edge of the table.
- Metallic parts are powder coated.
- At the bottom the legs are fitted with adjustable feet for the level adjustment of the table (adjustable 20 mm).
- The legs can be provided in wood instead of metallic tubes; they are mounted into the metal frame. (Not possible with annex tables) **MOET HIER INFO OVER HOUT BIJ?**

Height adjustment

- The desk is available
 - > at fixed height 'sit' +/- 75 cm (FX);
 - > at fixed height 'stand' +/- 105 cm (FX)



ROBBERECHTS

COMPANY
ADDRESS
ADDRESS
At the att of

Ref:

Turnhout, DATE

Subject: X

Frame

- Onto the solid metallic frame a wooden top in melamine chipboard of thickness 25 mm is attached.
- The frame of the desk exists in 2 A-shaped feet, 2 technical beams and 1 top, with which the structure allows maximum leg space.
- All parts are rounded so that the user cannot injure himself.
- The legs are connected onto the frame, which is fixed onto the top.
- The legs, made out of rectangular 70x40 steel tubes, are welded onto the connection beams. The side of 40 mm is directed outwards.
- The adjustment feet are positioned 77mm inwards with respect to the most extreme corners of the top.
- The extension table of the 'Straight' (180°) is directly connected onto the technical beams of the main frame, this way the construction is very solid.

Tops

- The melamine top is made out of chipboard with thickness 25 mm and a density of 650 kg/m³.
- The tops have an ABS edging in thickness 2mm. They are in compliance with standard EN 14322. The wood originates from sustainably managed forests and is PEFC certified.
- The top is fixed directly onto the frame.
- The Straight top is a rectangular top.
- The Rounded top is a top with rounded corners and rounded sides.
- Besides a melamine top, the desk can be finished with a multiplex top in thickness 20mm, with an HPL top layer. (Not possible with annexe tables)
- The multiplex top s are finished with a Sharknose (slanted side). **MOET HIER INFO OVER VERNIS/AFWERKING BIJ? NORM EN CERTIFICAAT GEVRAAGD BIJ GEERT**

UITLEG OVER BEKABELING IS VOORLOPIG UITGELATEN